orbit®
Orbit Industries, Inc.

Landscape Lighting | G

All Landscape Fixtures Include:



*Unless otherwise specified

Extensive Variety of Fixture Constructions

- *18W Bayonet, 20W JC Bi-Pin, 20W MR8, MR11 & MR16 lamps INCLUDED*
- *PAR36, PAR 56 & other lamps NOT INCLUDED*

LED COMPATIBLE LAMPS SOLD SEPARATELY

Disclaimer: Shape, Design, and Finish may change without prior notice

www.orbitelectric.com

Brass Finishes

Natural Brass
(NB)

Antique Brass
(AB)

Antique Bronze
(AZ)

Architectural Bronze
(ARB)

Aged (Acid) Green
(AG)

Aluminum Finishes

Verde Green
(VG)

Rust
(RU)

Sand
(SA)

Black
(BK)

Bronze
(BR)

Green
(GN)

White
(WH)

Quick Reference

B150SH B151 B152 B153 B160SH B102 B126

SS126 S126 FG126 B171 1071 1081 S121

S131 S130 1051 1021 1020 FG1021 FG1020

B610 B310 6011 1061 B103 B105 SS111

2020 2030 2031 2040 B18S B181C B182C

B183C B184C B185C B186C B224 B225 S215

S219

S224

S225

S121P

B114

C114

B107

B104

S220

S221

B5010

B5011

B5012

SS5010

SS5011

SS5012

AP

50PK

5010

5011

5012

5013

FG5010

FG5012

5110

5113

5114

FG5110

FG5410

FG5412

S530

5300S

5010S

5010R

9013

3011C

3018

B600C-NB

B601C-SS

B60H

B60H-LED

Quick Reference

B700C-WH


B701C-AZ

B70H

B70H-LED

7110C-AG

7112C-ARB

7100H

7100H-LED

7121C-AG

7122C-AB

S710C-BR

S711C-BK

S710H-LED

S712C-BK

S713C-WH

S712H-LED-12V

7210C-BR

7212C-WH

7210H

SS7011

SS7012

7011

7012

B7011

B7012

7050

7053

B510

B511

B512

SS510

SS511

SS512

5510

FG520

FG505

SS5550

5500

SS5500

TRT-75-SS

TRT-300-BK

PC-1ST

TR-3HT

LED B150SH

PRODUCT FEATURES

- Solid Brass
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Convex Tempered Glass Lens
- Adjustable Key Knuckle
- GS-85 PVC Spike
- Silicone Wire Nuts

FINISH

ARB



LED B151

PRODUCT FEATURES

- Solid Brass
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Tempered Glass Lens
- GS-85 PVC Spike
- Silicone Wire Nuts

FINISH

ARB



LED B152

PRODUCT FEATURES

- Solid Brass
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Tempered Glass Lens
- GS-85 PVC Spike
- Silicone Wire Nuts

FINISH

ARB



B153

PRODUCT FEATURES

- Solid Brass
- 12 Volts
- MR11 20W Lamp Included (35W Max.)
- Tempered Glass Lens
- GS-85 PVC Spike
- Silicone Wire Nuts

FINISH

ARB



B160SH

PRODUCT FEATURES

- Solid Brass
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Tempered Glass Lens
- Adjustable Key Knuckle
- GS-85 PVC Spike
- Silicone Wire Nuts

FINISH

ARB



*B102

PRODUCT FEATURES

- Solid Brass
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Tempered Glass Lens
- Adjustable Key Knuckle
- GS-85 PVC Spike
- Silicone Wire Nuts

FINISHES

AZ ARB

Shown In Architectural Bronze



*While Supplies Last

LED Compatible, Sold Separately

B126

PRODUCT FEATURES

- Cast Brass
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Convex Tempered Glass Lens
- GS-85 PVC Spike
- Silicone Wire Nuts

FINISHES

AB AZ ARB AG*

Shown In Antique Brass



SS126

PRODUCT FEATURES

- Stainless Steel
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Convex Tempered Glass Lens
- GS-85 PVC Spike
- Silicone Wire Nuts

FINISH

SS



S126

PRODUCT FEATURES

- Cast Aluminum
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Convex Tempered Glass Lens
- GS-85 PVC Spike
- Silicone Wire Nuts

POWDER COATED FINISHES

BK BR* RU* SA VG

Shown In Rust



FG126

PRODUCT FEATURES

- Composite
- 12 Volts
- MR16 20W Lamp Included (20W Max.)
- Convex Tempered Glass Lens
- GS-85 PVC Spike
- Silicone Wire Nuts

FINISH

BR



*While Supplies Last

B171

PRODUCT FEATURES

- Cast Brass
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Convex Tempered Glass Lens
- Adjustable Key Knuckle
- GS-85 PVC Spike
- Silicone Wire Nuts

FINISHES

AB AZ ARB AG*

Shown In Architectural Bronze



1071

PRODUCT FEATURES

- Cast Aluminum
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Tempered Glass Lens
- GS-85 PVC Spike
- Silicone Wire Nuts

POWDER COATED FINISHES

BK BR

Shown In Bronze



1081

PRODUCT FEATURES

- Cast Aluminum
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Slip-On Cap with Tempered Glass Lens
- Adjustable Key Knuckle
- GS-85 PVC Spike
- Silicone Wire Nuts

POWDER COATED FINISHES

BK BR VG*

Shown In Black



*While Supplies Last

LED Compatible, Sold Separately

LED S121

PRODUCT FEATURES

- Cast Aluminum
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Spring-Mounted Lamp Positioned Behind Lens
- Convex Tempered Glass Lens
- GS-85 PVC Spike
- Silicone Wire Nuts

POWDER COATED FINISHES

BK, BR, SA*, GN*, VG*

Shown In Sand



LED S131

PRODUCT FEATURES

- Cast Aluminum
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Convex Tempered Glass Lens
- Spring-Mounted Directional Hood
- Adjustable Key Knuckle
- GS-85 PVC Spike
- Silicone Wire Nuts

POWDER COATED FINISHES

BK, BR, RU, VG, SA

Shown In Rust



LED S130

PRODUCT FEATURES

- Cast Aluminum
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Convex Tempered Glass Lens
- Adjustable Key Knuckle
- GS-85 PVC Spike
- Silicone Wire Nuts

POWDER COATED FINISHES

BK, BR*, RU*, VG*, SA*

Shown In Bronze



LED *1051

PRODUCT FEATURES

- Cast Aluminum
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Tempered Glass Lens
- GS-85 PVC Spike
- Silicone Wire Nuts

POWDER COATED FINISHES

BK, BR, GN, VG

Shown In Black



LED Compatible, Sold Separately

*While Supplies Last

LED 1021

PRODUCT FEATURES

- Cast Aluminum
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Tempered Glass Lens
- Adustable Key Knuckle
- GS-85 PVC Spike
- Silicone Wire Nuts

POWDER COATED FINISHES

BK BR * GN VG

Shown In Black



LED 1020

PRODUCT FEATURES

- Cast Aluminum
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Tempered Glass Lens
- GS-85 PVC Spike
- Silicone Wire Nuts

POWDER COATED FINISHES

BK BR * WH * VG

Shown In Bronze



LED FG1021

PRODUCT FEATURES

- Composite
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Tempered Glass Lens
- GS-85 PVC Spike
- Silicone Wire Nuts

FINISHES

BK GN

Shown In Dark Green



LED FG1020

PRODUCT FEATURES

- Composite
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Tempered Glass Lens
- GS-85 PVC Spike
- Silicone Wire Nuts

FINISH

BK



*While Supplies Last

LED Compatible, Sold Separately

LED B610

PRODUCT FEATURES

- Cast Brass
- 12 Volts
- JC Bi-Pin 20W Lamp Included (50W Max.)
- Tempered Glass Lens
- Adjustable Key Knuckle
- GS-85 PVC Spike
- Silicone Wire Nuts

FINISHES

* AZ, ARB, * AG

Shown In Antique Bronze



LED *B310

PRODUCT FEATURES

- Solid Brass
- 12 Volts
- JC Bi-Pin 20W Lamp Included (50W Max.)
- Tempered Glass Lens
- Adjustable Key Knuckle
- Removable Visor
- GS-85 PVC Spike
- Silicone Wire Nuts

FINISHES

NB, AB, AZ, ARB

Shown In Antique Bronze



LED 6011

PRODUCT FEATURES

- Cast Aluminum
- 12 Volts
- JC Bi-Pin 20W Lamp Included (50W Max.)
- Tempered Glass Lens
- GS-85 PVC Spike
- Silicone Wire Nuts

POWDER COATED FINISHES

BK, BR, * WH

Shown In Black



Landscape Lighting

LED Compatible, Sold Separately

*While Supplies Last

LED *1061

PRODUCT FEATURES

- Cast Aluminum
- 12 Volts
- MR16 50W Lamp Included (75W Max.)
- Tempered Glass Lens
- GS-85 PVC Spike
- Silicone Wire Nuts

POWDER COATED FINISHES

BK BR

Shown In Black



*B103

PRODUCT FEATURES

- Cast Brass
- 12 Volts
- MR11 20W Lamp Included (35W Max.)
- Tempered Glass Lens
- Adjustable Key Knuckle
- GS-85 PVC Spike
- Silicone Wire Nuts

FINISHES

AZ ARB AG

Shown In Architectural Bronze



*B105

PRODUCT FEATURES

- Cast Brass
- 12 Volts
- MR8 10W Lamp Included (20W Max.)
- Tempered Glass Lens
- Adjustable Key Knuckle
- GS-85 PVC Spike
- Silicone Wire Nuts

FINISHES

AB AZ ARB AG

Shown In Antique Bronze



LED *SS111

PRODUCT FEATURES

- Stainless Steel
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Tempered Glass Lens
- GS-85 PVC Spike
- SJT Cord

FINISH

SS



*While Supplies Last

LED Compatible, Sold Separately

LED 2020

PRODUCT FEATURES

- Cast Aluminum
- 12 Volts
- JC Bi-Pin 20W Lamp Included (20W Max.)
- 2-Tier
- **Frosted** Glass Lens Only
- GS-85 PVC Spike
- Silicone Wire Nuts

POWDER COATED FINISHES

BK BR * GN



LED 2030

PRODUCT FEATURES

- Cast Aluminum
- 12 Volts
- JC Bi-Pin 20W Lamp Included (50W Max.)
- 3-Tier
- **Frosted** Glass Lens Standard, **Clear** Lens by Request
- GS-85 Spike
- Silicone Wire Nuts

POWDER COATED FINISHES

BK BR * SA GN VG

Also Available in 120 Volts: 2033 on Page H1

Shown in Black



*While Supplies Last

Path Lights

LED *2031

PRODUCT FEATURES

- Cast Aluminum
- 12 Volts
- JC Bi-Pin 20W Lamp Included (50W Max.)
- 3-Tier, Large Top
- **Frosted** Glass Lens Standard, **Clear** Lens by Request
- GS-85 PVC Spike
- Silicone Wire Nuts

POWDER COATED FINISHES

BK BR SA GN VG

Shown in Black



LED 2040

PRODUCT FEATURES

- Cast Aluminum
- 12 Volts
- JC Bi-Pin 20W Lamp Included (50W Max.)
- 4-Tier
- **Frosted** Glass Lens Standard, **Clear** Lens by Request
- GS-85 PVC Spike
- Silicone Wire Nuts

POWDER COATED FINISHES

BK BR GN VG

Also Available in 120 Volts: 2044 on Page H1

Shown in Black



*While Supplies Last

LED Compatible, Sold Separately

B180 Series

PRODUCT FEATURES

- Solid Brass
- 12 Volts
- JC Bi-Pin 20W Lamp Included (20W Max.)
- GS-10 Super Spike
- Silicone Wire Nuts

ORDERING GUIDE

Sample Cat. No.: B18S / B182C/ AB

1. Stem
2. Lamp Shade Style
3. Finish

Order stem & shade separately



B18S
Stem Only

AB ARB * AZ



B181C
Shade Only

* AB ARB * AZ



B182C
Shade Only

AB ARB * AZ



B183C
Shade Only

AB ARB



B184C
Shade Only

* AB ARB



B185C
Shade Only

* AB * ARB * AZ

B186C
Shade Only

* AB * ARB * AZ

Landscape Lighting

*While Supplies Last

B224

PRODUCT FEATURES

- Solid Brass
- 12 Volts
- JC Bi-Pin 20W Lamp Included (20W Max.)
- Polycarbonate Lens
- GS-10 Super Spike
- Silicone Wire Nuts

FINISHES

*

AB AZ ARB

Shown in Antique Bronze



B225

PRODUCT FEATURES

- Solid Brass
- 12 Volts
- JC Bi-Pin 20W Lamp Included (20W Max.)
- Polycarbonate Lens
- GS-10 Super Spike
- Silicone Wire Nuts

FINISHES



AB AZ ARB

Shown in Antique Brass



S215

PRODUCT FEATURES

- Cast Aluminum
- 12 Volts
- Bayonet 18W Lamp Included (26W Max.)
- GS-10 Super Spike
- Silicone Wire Nuts

POWDER COATED FINISHES

BK BR RU VG

Shown in Black



*While Supplies Last

LED Compatible, Sold Separately

LED S219

PRODUCT FEATURES

- Cast Aluminum
- 12 Volts
- JC Bi-Pin 20W Lamp Included (26W Max.)
- GS-10 Super Spike
- Silicone Wire Nuts

POWDER COATED FINISHES

BK BR *VG

Shown in Black



LED S224

PRODUCT FEATURES

- Cast Aluminum
- 12 Volts
- JC Bi-Pin 20W Lamp Included (20W Max.)
- Twist-Off Shade for Easy Relamping
- GS-10 Super Spike
- Silicone Wire Nuts

POWDER COATED FINISHES

*RU *VG *SA

Shown in Verde Green



LED S225

PRODUCT FEATURES

- Cast Aluminum
- 12 Volts
- JC Bi-Pin 20W Lamp Included (20W Max.)
- Twist-Off Shade for Easy Relamping
- GS-10 Super Spike
- Silicone Wire Nuts

POWDER COATED FINISHES

BK BR RU

Shown in Black



Path Lights

LED S121P

PRODUCT FEATURES

- Cast Aluminum
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Spring-Mounted Lamp
- Positioned Behind Lens
- Convex Tempered Glass Lens
- GS-10 Super Spike
- Silicone Wire Nuts

POWDER COATED FINISHES

BK BR

Shown in Black



LED B114

PRODUCT FEATURES

- Solid Brass
- 12 Volts
- JC Bi-Pin 20W Lamp Included (20W Max.)
- GS-10 Super Spike
- Silicone Wire Nuts

FINISH

ARB



LED *C114

PRODUCT FEATURES

- Solid Copper
- 12 Volts
- JC Bi-Pin 20W Lamp Included (20W Max.)
- GS-10 Super Spike
- Silicone Wire Nuts

FINISH

Natural Copper Polished



LED *B107

PRODUCT FEATURES

- Solid Brass
- 12 Volts
- Bayonet 18W Lamp Included (26W Max.)
- GS-10 Super Spike
- Silicone Wire Nuts

FINISH

AG



*While Supplies Last

LED Compatible, Sold Separately

LED *B104

PRODUCT FEATURES

- Solid Brass
- 12 Volts
- Bayonet 18W Lamp Included (26W Max.)
- GS-10 Super Spike
- Silicone Wire Nuts

FINISHES

AB AZ ARB AG

Shown in Antique Brass



BPS04

Fits 1/2” Thread Brass Pathway Light Pipe Support

BPS04



LED S220

PRODUCT FEATURES

- Cast Aluminum
- 12 Volts
- Bayonet 18W Lamp Included (26W Max.)
- GS-10 Super Spike
- Silicone Wire Nuts

POWDER COATED FINISHES

BK BR * RU VG

Shown in Black



LED *S221

PRODUCT FEATURES

- Cast Aluminum
- 12 Volts
- Bayonet 18W Lamp Included (26W Max.)
- GS-10 Super Spike
- Silicone Wire Nuts

POWDER COATED FINISHES

BR RU VG

Shown in Bronze



LED Compatible, Sold Separately

*While Supplies Last

B5010 Series

PRODUCT FEATURES

- Cast Brass
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Tempered Glass Lens
- 1 Hole on the Bottom with 24" SJT Cord

FINISH

Brass

B5010

***B5011**

B5012

SS5010 Series SS5010M Series

PRODUCT FEATURES

- **SS5010 Series:** Cast Grade 304 Stainless Steel
- **SS5010M Series:** Cast Marine Grade 316 Stainless Steel
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Tempered Glass Lens
- 1 Hole on the Bottom with 24" SJT Cord

FINISHES

Natural Stainless Steel **SS5010 Series**

Premium Stainless Steel **SS5010M Series**

SS5010/M

***SS5011/M**

***SS5012/M**



5010



5011



5012

MOUNTING OPTIONS



Adjustable Angle

LED Compatible, Sold Separately

AP *Shown in SS5010AP*

To receive the Well Light pre-installed in an adjustable Sleeve, add "AP" to the end of the item #.

50PK *Shown in B5010-50PK*

To receive the Fixture with a Slip-On PVC Spike, add "50PK" to the end of the item #.

*While Supplies Last

LED 5010 Series

PRODUCT FEATURES

- Cast Aluminum
- 12 Volts
- 5010, 5012, & 5011: MR16 20W Lamp Included (35W Max.)
- 5013: JC Bi-Pin 20W Lamp Included (35W Max.)
- Tempered Glass Lens
- 1 Hole on the Bottom with 24" SJT Cord

POWDER COATED FINISHES

BK, BR, * WH, * VG

5010 5011 5012 5013

LED FG5010 Series

PRODUCT FEATURES

- Composite
- 12 Volts
- MR16 20W Lamp Included (20W Max.)
- Tempered Glass Lens
- 1 Hole on the Bottom with 24" SJT Cord

FINISHES

BK, BR

FG5010 FG5012



FG/5010 5011 FG/5012 5013

MOUNTING OPTIONS

5010-BRACKET

Black Only



Adjustable Angle

AP *Shown in SS5010AP*

To receive the Well Light pre-installed in an adjustable Sleeve, add "AP" to the end of the item #.

50PK *Shown in B5010-50PK*

To receive the Fixture with a Slip-On PVC Spike, add "50PK" to the end of the item #.

LED Compatible, Sold Separately

*While Supplies Last

Well Lights

5110 Series

PRODUCT FEATURES

- Cast Aluminum
- 12 Volts
- PAR36 Lamp Not Included (50W Max.)
- Tempered Glass Lens
- 1 Hole on the Bottom with 24” SJT Cord

POWDER COATED FINISH

BK

5110



***5113**



***5114**



LED Compatible, Sold Separately

*While Supplies Last

FG5110

PRODUCT FEATURES

- Fiberglass
- 12 Volts
- PAR36 Lamp Not Included (50W Max.)
- Tempered Glass Lens
- 24” SJT Cord

FINISH

BR



FG5400 Series

PRODUCT FEATURES

- PBT Composite Injection Molded
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Tempered Glass Lens
- Adjustable Direction Lamp Bracket Tilts ± 25°
- 1 Hole on the Bottom with 24” SJT Cord

FINISHES

BK BR

FG5410



FG5412



Well Lights

LED *S530

PRODUCT FEATURES

- Composite
- 12 Volts
- PAR36 Lamp Not Included (50W Max.)
- Stainless Steel Components
- 36” 18/2 SPT1 Wire



S530-COVER
Replacement Brass Frame with Glass Lens

Stainless Steel Gimbel Included

LED 5300S

PRODUCT FEATURES

- Composite
- 12 Volts
- PAR36 Lamp Not Included (50W Max.)
- Reversible PVC Fixture
- 36” 18/2 SPT1 Wire



Optional 53L Louver

Shown Installed on 5300S

53L

PRODUCT FEATURES

- Optional Louver for 5300S
- Bronze Finish

LED 5010S

PRODUCT FEATURES

- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Square Stainless Steel Cover on PVC Sleeve
- 24” SJT Cord



LED 5010R

PRODUCT FEATURES

- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Round Stainless Steel Cover on PVC Sleeve
- 24” SJT Cord

ompatible, Sold Separately



*While Supplies Last

LED 9013

PRODUCT FEATURES

- Cast Alumium
- 12 Volts
- JC Bi-Pin 20W Lamp Included (20W Max.)
- 18” Cable & Chain

POWDER COATED FINISHES

BK VG

Shown In Black



LED 3011C

PRODUCT FEATURES

- Cast Alumium
- 12 Volts
- MR11 10W Lamp Included (10W Max.)
- **Clear** Glass Lens
- GS-85 PVC Spike
- Silicone Wire Nuts

POWDER COATED FINISH

BK



LED 3018

PRODUCT FEATURES

- Cast Aluminum
- 12 Volts
- JC Bi-Pin 20W Lamp Included (20W Max.)
- **Frosted** Plastic Lens
- GS-85 PVC Spike
- Silicone Wire Nuts

POWDER COATED FINISH

BK



LED Compatible, Sold Separately

Step Lights

B60 Series

COVER PLATES

- Solid Brass (AB, NB, AZ, ARB, AG)
- Powder Coated Galvanized Steel (BR, BK, WH)
- Stainless Steel (SS)
- Silicone Gasket



B600C-AB
Shown Installed
Antique Brass

B601C-AZ
Shown Installed
Antique Bronze

B600C FINISHES



B600C-AG
Aged Green

B600C-NB
Natural Brass

B600C-ARB
Architectural Bronze

B600C-BR
Bronze

B601C FINISHES



B601C-WH
White

B601C-SS
Stainless Steel

B601C-BK
Black

Order housing & coverplate separately

B60H HOUSING

- 12 Volts
- Suitable for installation in poured concrete
- Powder Coated Galvanized Steel
- Bayonet 18W Lamp Included
- (26W Max.)
- Use with B600C or B601C Coverplates
- Easily Accessible Wiring with 1/2” KO
- Adjustable Mounting Flanges

B60H-LED HOUSING

- 12V
- UL Listed for Damp Location
- Suitable for installation in poured concrete
- Powder Coated Galvanized Steel
- 1.5W Input Power
- Color Temp: 4700K
- Use with B600C or B601C Coverplates
- Easily Accessible Wiring with 1/2” KO
- Adjustable Mounting Flanges

Intertek

*While Supplies Last

B70 Series

COVER PLATES

- Solid Brass (AB, NB, AZ, ARB, AG)
- Powder Coated Galvanized Steel (BR, BK, WH)
- Stainless Steel (SS)
- Silicone Gasket



B700C-SS
Shown Installed
Stainless Steel

B701C-ARB
Shown Installed
Architectural Bronze

B700C FINISHES



B700C-WH
White

B700C-BR
Bronze

B700C-NB
Natural Brass

B700C-BK
Black

B701C FINISHES



B701C-AZ
Antique Bronze

B701C-AB
Antique Brass



B701C-AG
Aged Green

Order housing & coverplate separately



B70H HOUSING

- 12V
- Suitable for installation in poured concrete
- Powder Coated Galvanized Steel
- Bayonet 2 X 18W (36W)
- Lamp Included (52W Total Max.)
- Use with B700C or B701C Coverplates
- Easily Accessible Wiring with 1/2” KO
- Adjustable Mounting Flanges



B70H-LED HOUSING

- 12V
- UL Listed for Damp Location
- Suitable for installation in poured concrete
- Powder Coated Galvanized Steel
- 4W Input Power
- Color Temp: 4700K
- Use with B700C or B701C Coverplates
- Easily Accessible Wiring with 1/2” KO
- Adjustable Mounting Flanges

*While Supplies Last

Step Lights

7100 Series

COVER PLATES

- Solid Brass (AB, AZ, ARB, AG)
- Powder Coated Galvanized Steel (BR, BK, WH)
- Stainless Steel (SS)
- Silicone Gasket



7110C-BK
Shown Installed
Black

7112C-WH
Shown Installed
White

7110C FINISHES



7110C-AG
Aged Green

7110C-BR
Bronze

7110C-SS
Stainless Steel

7112C FINISHES



7112C-AB
Antique Brass

7112C-ARB
Architectural Bronze

Order housing & coverplate separately



7100H HOUSING

- 12V
- Suitable for installation in poured concrete
- Powder Coated Cast Aluminum
- JC Bi-Pin 20W Lamp Included (20W Max.)
- Use with 7110C, 7112C, 7121C, or 7122C Coverplates

7100H-LED HOUSING

- 12V
- UL Listed for Damp Location
- Suitable for installation in poured concrete
- Powder Coated Cast Aluminum
- 2W Input Power
- Color Temp: 4700K
- Use with 7110C, 7112C, 7121C, or 7122C Coverplates

Intertek

*While Supplies Last

712 Series

COVER PLATES

- Solid Brass (AB, AZ, ARB, AG)
- Powder Coated Galvanized Steel (BR, BK, WH)
- Stainless Steel (SS)
- Silicone Gasket



*7121C FINISHES



*7122C FINISHES



7122C-BK
Shown Installed
Black

7121C-SS
Shown Installed
Stainless Steel

7121C-AG
Aged Green

7121C-WH
White

7122C-AB
Antique Brass

7122C-AZ
Antique Bronze

7122C-ARB
Architectural Bronze

Order housing & coverplate separately



7100H HOUSING

- 12V
- Suitable for installation in poured concrete
- Powder Coated Cast Aluminum
- JC Bi-Pin 20W Lamp Included (20W Max.)
- Use with 7110C, 7112C, 7121C, or 7122C Coverplates

7100H-LED HOUSING

- 12V
- UL Listed for Damp Location
- Suitable for installation in poured concrete
- Powder Coated Cast Aluminum
- 2W Input Power
- Color Temp: 4700K
- Use with 7110C, 7112C, 7121C, or 7122C Coverplates

*While Supplies Last

Step Lights

S710 Series

COVER PLATES

- Powder Coated Cast Aluminum
- Silicone Gasket



S710C-BK
Shown Installed
Black

S711C-BR
Shown Installed
Bronze

S710C FINISHES

BR BK WH

S710C-BR
Bronze

S710C-WH
White

S711C FINISHES



BR BK

S711C-BK
Black

Order housing & coverplate separately

S710H-LED HOUSING

- 12V ***(S710H-LED-12V)***
- 120V ***(S710H-LED-120V)***
- UL Listed for Damp Location
- Suitable for installation in poured concrete
- Powder Coated Cast Aluminum
- 5.7W Input Power
- Color Temp: 4700K
- Easily Accessible Wiring with 1/2” KO
- Use with S710C, S711C or S713C

S710 Series

COVER PLATES

- Powder Coated Cast Aluminum
- Silicone Gasket



S713C-BR
Shown Installed
Bronze

S712C-BR
Shown Installed
Bronze

S712C FINISHES

BR BK WH

S712C-BK
Black

S712C-WH
White

S713C FINISHES

BR BK WH

S713C-BK
Black

S713C-WH
White

Order housing & coverplate separately





S712H-LED-12V HOUSING

- 12V
- Suitable for installation in poured concrete
- Powder Coated Cast Aluminum
- 3.37W Input Power
- Color Temp: 4000K
- Use with S712C Only

S710H-LED HOUSING

- 12V ***(S710H-LED-12V)***
- 120V ***(S710H-LED-120V)***
- UL Listed for Damp Location
- Suitable for installation in poured concrete
- Powder Coated Cast Aluminum
- 5.7W Input Power
- Color Temp: 4700K
- Easily Accessible Wiring with 1/2” KO
- Use with S710C, S711C or S713C

7210 Series

COVER PLATES

- Powder Coated Cast Aluminum
- Silicone Gasket



7210C-BK
Shown Installed
Black

7212C-BR
Shown Installed
Bronze

7210C FINISHES

BR BK WH

7210C-BR
Bronze

7210C-WH
White

7212C FINISHES

BR BK WH

7212C-BK
Black

7212C-WH
White

Order housing & coverplate separately

7210H HOUSING

- 12V
- Suitable for installation in poured concrete
- Powder Coated Cast Aluminum
- Bayonet 2 X 18W (36W) Lamp Included
- Use with 7210C and 7212C Only
- Also available in 120 Volts: 7210H-E26 (Pg. H7)



SURFACE STEP LIGHTS

PRODUCT FEATURES

- 12 Volts
- JC Bi-Pin 20W Lamp Included (20W Max.)

STAINLESS STEEL COATED CAST BRASS

SS

POWDER COATED FINISHES

- Cast Aluminum

BK BR WH *VG

SOLID CAST BRASS FINISHES

*NB ARB

- B7012 only available in ARB Finish

SS7011

***SS7012**

7011
Shown in *Black*

***7012**
Shown in *Bronze*





B7011
Shown in *Architectural Bronze*

***B7012**
Shown in *Natural Brass*

MINI SURFACE WALL LIGHTS

PRODUCT FEATURES

- Cast Aluminum
- 12 Volts
- JC Bi-Pin 20W Lamp Included
- Frosted Glass

POWDER COATED FINISHES

BK BR WH

***7050**
Shown in *Black*

***7053**
Shown in *Bronze*



Landscape Lighting

LED Compatible, Sold Separately

**While Supplies Last*

LED B510

PRODUCT FEATURES

- Solid Brass
- 12 Volts
- Silicone Gasket
- MR16 20W Lamp Included (35W Max.)
- Tempered Glass
- 30-FT. SJT Power Cord
- Brass or Stainless Steel Fittings

FINISH

NB



LED *B511

PRODUCT FEATURES

- Solid Brass
- 12 Volts
- Silicone Gasket
- MR16 20W Lamp Included (35W Max.)
- Tempered Glass
- 30-FT. SJT Power Cord
- Brass or Stainless Steel Fittings

FINISH

NB



LED *B512

PRODUCT FEATURES

- Solid Brass
- 12 Volts
- Silicone Gasket
- MR16 20W Lamp Included (35W Max.)
- Tempered Glass
- 30-FT. SJT Power Cord
- Brass or Stainless Steel Fittings

FINISH

NB



For Color Lenses and Junction Boxes: See Page G41

*While Supplies Last

LED Compatible, Sold Separately

LED SS510

PRODUCT FEATURES

- Solid Grade 304 Stainless Steel
- 12 Volts
- Silicone Gasket
- MR16 20W Lamp Included (35W Max.)
- Tempered Glass
- 30-FT. SJT Power Cord
- Stainless Steel Fittings

FINISH

SS



LED *SS511

PRODUCT FEATURES

- Solid Grade 304 Stainless Steel
- 12 Volts
- Silicone Gasket
- MR16 20W Lamp Included (35W Max.)
- Tempered Glass
- 30-FT. SJT Power Cord
- Stainless Steel Fittings

FINISH

SS



LED *SS512

PRODUCT FEATURES

- Solid Grade 304 Stainless Steel
- 12 Volts
- Silicone Gasket
- MR16 20W Lamp Included (35W Max.)
- Tempered Glass
- 30-FT. SJT Power Cord
- Stainless Steel Fittings

FINISH

SS



For Color Lenses and Junction Boxes: See Page G41



LED *LED Compatible, Sold Separately*

*While Supplies Last

Underwater Lights

LED 5510

PRODUCT FEATURES

- Solid Aluminum
- 12 Volts
- Silicone Gasket
- MR16 20W Lamp Included (35W Max.)
- Tempered Glass
- 30-FT. SJT Power Cord
- Brass or Stainless Steel Fittings

POWDER COATED FINISHES

BK * WH



LED FG520

PRODUCT FEATURES

- Composite
- 12 Volts
- Silicone Gasket
- JC Bi-Pin 20W Lamp Included (20W Max.)
- Tempered Glass
- 30-FT. SJT Power Cord
- Round Stainless Steel Base
- Brass or Stainless Steel Fittings

FINISH

BK



*FG505

PRODUCT FEATURES

- Composite
- 12 Volts
- Three Underwater Lights Kit
- MR11 20W Lamp Included (20W Max.)
- Tempered Glass
- 20-FT. SJT Power Cord
- AC Adapter Included
- 4 Colored Lenses Per Fixture (Red, Green, Yellow & Blue)
- Brass or Stainless Steel Fittings

FINISH

BK



For Color Lenses and Junction Boxes: See Page G41

*While Supplies Last

LED Compatible, Sold Separately

*SS5550

PRODUCT FEATURES

- Solid Stainless Steel
- 12 Volts
- Silicone Gasket
- PAR56 Lamp Not Included (300W Max)
- 30-FT. SJT Power Cord
- ABS Plastic Lens Guard

FINISH

SS



5500

PRODUCT FEATURES

- Solid Brass
- 12 Volts
- Silicone Gasket
- PAR36 Lamp Not Included (75W Max)
- Tempered Glass
- 30-FT. SJT Power Cord
- Brass or Stainless Steel Fittings

FINISH

NB



*SS5500

PRODUCT FEATURES

- Solid Grade 304 Stainless Steel
- 12 Volts
- Silicone Gasket
- PAR36 Lamp Not Included (75W Max)
- Tempered Glass
- 30-FT. SJT Power Cord
- Brass or Stainless Steel Fittings

FINISH

SS



For Color Lenses, Junction Boxes, or Lamp Accessories: See Page G41

*While Supplies Last

Intertek

Professional Series

PRODUCT FEATURES

- Primary Voltage: 120 Volts
- Secondary Voltage: 12/13/14/15 Volts
- Frequency: 50/60 Hz
- Stainless Steel: SS304 Grade
- Black: Powder Coated CRCA Steel
- Core Type: E&I
- Insulation Class: H
- Circuit Breaker Protection
- Sealed in Epoxy Compound
- Timer and Photo Cell Ready

12V~15V Multi-Tap with Plug-In cord

Transformer Only	Transformer with Timer & Photocell Installed	Finish	Max. Wattage	Dimension (L x W x H)
TRT-75-SS	TRT-75-SS-TP	Stainless Steel	75W	18.976” x 5.35” x 5.629”
TRT-75-BK	TRT-75-BK-TP	Black	75W	
TRT-100-SS	TRT-100-SS-TP	Stainless Steel	100W	
TRT-100-BK	TRT-100-BK-TP	Black	100W	
TRT-150-SS	TRT-150-SS-TP	Stainless Steel	150W	
TRT-150-BK	TRT-150-BK-TP	Black	150W	
TRT-300-SS	TRT-300-SS-TP	Stainless Steel	300W	
TRT-300-BK	TRT-300-BK-TP	Black	300W	
TRT-600-SS	TRT-600-SS-TP	Stainless Steel	600W	19.055” x 6.496” x 5.905”
TRT-600-BK	TRT-600-BK-TP	Black	600W	
TRT-900-SS	TRT-900-SS-TP	Stainless Steel	900W	
TRT-900-BK	TRT-900-BK-TP	Black	900W	

Shown in Stainless Steel

Shown in Stainless Steel w/ Cover

Shown in Black

Shown in Black

Transformer Accessories

Cat. No.	Description	Specs
PC-1ST	Plug-In Swivel-Type Photocell	1200W Tungsten/1000VA Ballast, 1.5VA, 10~20 Lx On/30~60 Lx Off
TR-3HT	Plug-In 24-HR Timer	125VAC, 60HZ, 15A, 1750W 24HR 3 On/Off Settings

PC-1ST



TR-3HT

Cat No.	Description
LET-60-LW	LET 60 AC 120 12 CL2 Low Watt has a low minimum connected load requirement of only 2.9 Watts
LET-60-GW	LET 60 AC 120 12 CL2 Ground Wire has a ground wire with lug and double-sided tape attached to the back of the transformer
LVT-60	LVT 60 AC 120 12 CL2 has a 60 Watt transformer mounting within an enclosure, for remote mounting
LET-75	LET 75 AC 120 12 Standard 75 Watt Transformer
LET-75-277	LET 75 AC 277 12 Standard 75 Watt Transformer
LET-151-12	LET 151 AC 120 12R, 150W max, 50W min with 12V Output
LET-151-24	LET 151 AC 120 24R, 150W max, 50W min with 24V Output

LET-60-LW
LET-60-GW
LET-75

LVT-60

LET-75-277

LET-151-12
LET-151-24

orbit
Orbit Industries, Inc.

Light Bulbs

Cat. No.	Description	Voltage	Wattage	Base	Life (Hrs.)	Std. Pkg.
LJC-WW	LED-JC Bi-Pin, WW(3000K)	12V	1.7W	G4	30000	1
LJC-CW	LED-JC Bi-Pin, CW(4100K)	12V	1.7W	G4	30000	1
LBAY-WW	LED-BAYONET, WW(3000K)	12V	1.1W	B15s	30000	1
LBAY-CW	LED-BAYONET, CW(4100K)	12V	1.1W	B15s	30000	1
LMR16-3W-CW	LED MR16 38° Flood, CW(4700K)	12V	3W	GU5.3	25000	10
LMR16-5W-D-WW	LED MR16 Dimm. bulb, 36° Flood, WW(3000K)	12V	5W	GU5.3	25000	10
LMR16-5W-D-CW	LED MR16 Dimm. bulb, 36° Flood, CW(5000K)	12V	5W	GU5.3	25000	10
1141	Incandescent AutoLamp	12V	18W	BA15s	1000	20
***1156**	Incandescent AutoLamp	12V	26W	BA15s	1000	20
***10MR8**	MR8 Halogen, 21° Beam Angle	12V	10W	GZ4	1000	20
***20MR8**	MR8 Halogen, 21° Beam Angle	12V	20W	GZ4	1000	20
BAB/OS	MR16 Halogen, 38° Beam Angle	12V	20W	GU5.3	2000	10
BAB/OSL	MR16 Halogen, 38° Flood, with Clear Lens	12V	20W	GU5.3	2000	10
EXN/OS	MR16 Halogen, 38° Flood	12V	50W	GU5.3	2000	10
EXN/OSL	MR16 Halogen, 38° Flood, with Clear Lens	12V	50W	GU5.3	2000	10
***EXN-BU**	MR16 Halogen, 40° Flood-Blue	12V	50W	GU5.3	2000	10
***EXN-GN**	MR16 Halogen, 40° Flood-Green	12V	50W	GU5.3	2000	10
***EXN-RD**	MR16 Halogen, 40° Flood-Red	12V	50W	GU5.3	2000	10
***EXN-YE**	MR16 Halogen, 40° Flood-Yellow	12V	50W	GU5.3	2000	10
EXT/GE	MR16 Halogen, 12° Narrow Spot	12V	50W	GU5.3	2000	10
FMW/OS	MR16 Halogen, 36° Flood	12V	35W	GU5.3	2000	10
FMW/OSL	MR16 Halogen, 36° Flood, with Clear Lens	12V	35W	GU5.3	2000	10
***EYF**	MR16 Halogen, Wide Flood	12V	75W	GU5.3	1500	10
FTD	MR11 Halogen, 30° Flood	12V	20W	GZ4	1500	10
FTH	MR11 Halogen, 30° Flood	12V	35W	GZ4	1500	10
JC-10	JC Halogen	12V	10W	G4	1500	20
JC-20/OS	JC Halogen	12V	20W	G4	2000	20
JC-35/OS	JC Halogen	12V	35W	GY6.35	2000	20
JC-50/OS	JC Halogen	12V	50W	GY6.35	2000	20
***PAR36/CAP/50FL**	PAR36, 36° Flood	12V	50W	Screw Terminal	3500	10
***PAR36/CAP/50SP**	PAR36, 8° Narrow Spot	12V	50W	Screw Terminal	3500	10
***PAR56/300WFL**	PAR56, 40 Wide Flood	12V	300W	Screw Terminal	2000	10

*While Supplies Last

LJC-WW
LJC-CW

LBAY-WW
LBAY-CW

LMR16-5W-D-WW
LMR16-5W-D-CW

LMR16-3W-CW

1141
*1156

*10MR8
*20MR8

BAB/OS
FMW/OS
EXN/OS
EXT/GE
*EYF

BAB/OSL
FMW/OSL
EXN/OSL

*EXN-YE

*EXN-RD

*EXN-GN

*EXN-BU

FTD
FTH

JC-10
JC-20/OS
JC-35/OS
JC-50/OS

*PAR36/CAP/50FL
*PAR36/CAP/50SP

*PAR56/300WFL

Landscape Lighting

*While Supplies Last

GS-85

PRODUCT FEATURES

- 8-1/2” Professional PVC Spike
- 1/2” Thread

COLOR

BR



GS-10 Super Spike

PRODUCT FEATURES

- 10” Heavy Duty PVC Spike
- 1/2” Thread

COLOR

BR



50PK

PRODUCT FEATURES

- 13-1/2” Optional Slip-On PVC Kit
- 3-1/4: Outer Dia., 2-7/8” Inner Dia.
- Schedule 80
- Stainless Steel Mounting Brackets and Hardware Included

COLOR

BR



Use with MR16 Well Lights on Page G16 ~ G17

PP2

PRODUCT FEATURES

- PVC Post
- Dia. (2-3/8" O.D.) X 15-1/2"L
- Schedule 80
- PVC Cap With 1/2" NPT Hub
- Stabilizing PVC Fins Included

FINISHES

BK BR

PP2
Shown In Black



PPCA

PRODUCT FEATURES

- Optional 2" Dia. Cast Aluminum Cap
- Use with PP2
- Includes Set Screws & Bare Copper Ground Wire

FINISHES

BK BR

PPCA

PP2A

PRODUCT FEATURES

- PVC Post with **Cast Aluminum Cap**
- 2" Dia. (2-3/8" O.D.) X 15-1/2" L
- Schedule 80
- PVC Cap With 1/2" NPT Hub
- Stabilizing PVC Fins Included

FINISHES

BK * BR

PP2A
Shown in Bronze



PP250

PRODUCT FEATURES

- PVC Post with
- 2-1/2" Dia. (2-7/8" O.D.) X 18-1/2" L
- Schedule 80
- PVC Cap With 1/2" NPT Hub
- Stabilizing PVC Fins Included

FINISHES

BK

PP250



PP250-CAP

PRODUCT FEATURES

- Replacement Cap for PP250 PVC Cap With 1/2" NPT Hub
- Brass Bushing

FINISHES

BK



PP250-CAP

*While Supplies Last

Accessories

Cat. No.	Description	Colors Available	Std. Pkg.
CO-1	Rectangle MR16 Socket with 10” Lead	White	10
CO-2	Round MR16 Socket with 10” Lead	White	10
SWN-BK	Silicone Wire Nut	Black	2
CO-3T	12V Rectangular Snap Connector for LVC Main 10/2, 12/2, or 14/2 to 16/2, 18/2	Black	10
CO-4	12V Screw-in Connector for LVC Main 10/2, 12/2, 14/2, 16/2, or 18/2	Black	10
RN-50-C	1/2” Galvanized Close Nipple	Natural	10
EW-4	4” Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish	BK, BR, GN, VG	10
EW-8	8” Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish	BK, BR, GN, VG	10
EW-13	13” Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish	BK, BR, GN, VG	10
EW-18	18” Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish	BK, BR, GN, VG	10
EW-25	25” Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish	BK, BR, GN, VG, WH	10
A121	90° Adapter, Cast Aluminum	BK, BR, GN, VG, WH	10
BASE	Surface-Mount Bracket 1/2” Female, Cast Aluminum	BK, BR, GN, VG, WH	10
BASE-R	Round Surface-Mount Bracket 1/2” Female, Cast Aluminum	BK, BR, GN, VG, WH	10
*BASE-SB	Round Surface-Mount Bracket 1/2” Female, Solid Brass	AB, AG, AZ	10
TB-LV	Tree-Hugger Canopy, Low-Voltage	BK, BR, GN, VG, WH	1
TB50-3	Tree-Hugger Box and Canopy, 120V, Cast Aluminum	GN	1
PG-2-F	2-Tier Pagoda Replacement Jar	Frosted	1
PG-3	3-Tier Pagoda Replacement Jar	Clear	1
PG-3-F	3-Tier Pagoda Replacement Jar	Frosted	1
PG-4	4-Tier Pagoda Replacement Jar	Clear	1
PG-4-F	4-Tier Pagoda Replacement Jar	Frosted	1
*CL-MR16	Colored Lens for MR16 Underwater Lights and Well Lights D=4-5/8”	YE, GN, BU	1
*CL-PAR36	Colored Lens for 5500 & SS5500 PAR36 Underwater Lights D=4-5/8”	YE, RE, GN, BU	1
RS-9	9” Tree Hugger Rubber Strap, Expandable to Twice its Length	BK	1
RS-15	15” Tree Hugger Rubber Strap, Expandable to Twice its Length	BK	1
RS-22	22” Tree Hugger Rubber Strap, Expandable to Twice its Length	BK	1
RS-31	31” Tree Hugger Rubber Strap, Expandable to Twice its Length	BK	1
LVC-8	8/2 Low-Voltage Direct Burial Cable	BK	500(ft.)
LVC-10	10/2 Low-Voltage Direct Burial Cable	BK	500(ft.)
LVC-12	12/2 Low-Voltage Direct Burial Cable	BK	500(ft.)
LVC-14	14/2 Low-Voltage Direct Burial Cable	BK	500(ft.)
*UWJB-6	Underwater Junction Boxes, 6-Way Connection, Max. O.D. Cable-0.328”	Solid Brass	1
*UWJB-8	Underwater Junction Boxes, 8-Way Connection, Max. O.D. Cable-0.328”	Solid Brass	1
*UWJB-10	Underwater Junction Boxes, 10-Way Connection, Max. O.D. Cable-0.328”	Solid Brass	1

*While Supplies Last

CO-1

CO-2

SWN-BK

CO-3T

CO-4

RN-50-C

A121

BASE

BASE-R

BASE-SB

TB-LV

TB50-3

PG-2-F
PG-3-F
PG-4-F

PG-3
PG-4

EW-4
EW-8
EW-13
EW-18
EW-25

*CL-MR16-YE
*CL-MR16-GN
*CL-MR16-BU

CL-PAR36-YE
CL-PAR36-RE
CL-PAR36-GN
CL-PAR36-BU

RS-9
RS-15
RS-22
RS-31


LVC-8
LVC-10
LVC-12
LVC-14



UWJB-6

UWJB-8

UWJB-10

*While Supplies Last