

UNIVERSAL MOUNTING ADJUSTABLE BOX ASSEMBLY

orbit[®]
Orbit Industries, Inc.

BEST WAY TO MOUNT
**EXTRA DEEP 4"
SQUARE BOXES**



UMAB

Adjusts from Flush (0") to 1-1/2"

■ 3-1/2" Deep ■ 4" Square



FA-UMAB



PATENTED



FA-UMAB SHOWN INSTALLED ON SSB

*Mounts directly to stud on it's own,
or between studs with the SSB.*


INSTALL FA-UMAB IN DROP CEILING
WITH THE **NEW** SSB-TBAR



**PLUS: Wide Selection of Fire Alarm Notification
Boxes, Covers and Extension Rings**

- *Bright red powder coat finish - reduces time-consuming painting in the shop*
- *Red finish also aids in identification of fire circuit terminal junctions in compliance with NEC 760.3*
- *For use with Rigid/IMC and EMT conduit*

**UNIVERSAL MOUNTING ADJUSTABLE BOX ASSEMBLY
AND SIMPLE SUPPORT BRACKET**



Can be mounted directly-to-stud. Guided-slots on each side allow the box to easily adjust from flush up to 1-1/2" by simply loosening the screws

Orbit's Universal Mounting Adjustable Box Assembly (UMAB) is a 4" square, 3-1/2" deep box with a BUILT-IN adapter for mounting and adjusting the box to fit various drywall depths.

- Can be used for direct-to-stud, between stud and overhead installations
- Eliminates the need for box extensions
- Ships preassembled with adapter for quicker installation



FA-UMAB



BETWEEN WALL STUDS

Use SSB to mount **FA-UMAB** anywhere in between wall stud cavities



SUSPENDED / DROP CEILING GRID

Use SSB-TBAR to mount **FA-UMAB** in T-bar drop ceiling grids



BETWEEN DRYWALL CEILING JOISTS


Use SSB to mount **FA-UMAB** between ceiling joists

SIMPLE SUPPORT BRACKET (SSB) SYSTEM

Pair with FA-UMAB to maximize flexibility between ceiling joists, T-bar grids, or wall studs



Includes clips for between T-bar drop ceiling grids



Standard, for use between ceiling joists and wall studs


| Cat. No. | Description | Std. Pkg. |
|----------|---|-----------|
| SSB | Simple Support Bracket, Adjustable 16" up to 24" | 25 |
| SSB-TBAR | Simple support Bracket with T-Bar Drop Ceiling Mounting Clips, Adjustable 16" up to 24" | 25 |
| UMAB | 4" Square, 3-1/2" Deep Box w/ ADJ. BRKT, 0 - 1-1/2" | 10 |
| FA-UMAB | Red 4" Square, 3-1/2" Deep Box w/ ADJ. BRKT, 0 - 1-1/2" | 10 |

UNIVERSAL FIREBLOK SUPPRESSION INSERTS

FOR METAL ELECTRICAL BOXES



UFSI



Break-apart Design



UFSI Shown Installed



FireBlok



Call on Orbit to **INSTALL FIRESTOP INSERTS**
in the box of your choice

- One SKU fits most single gang, 4" and 4-11/16" square boxes via break-apart design
- Non-Conductive
- Intumescent thermoplastic
- Pre-molded opening to accommodate raised grounding provisions and wiring access
- Certified for up to 2 Hr U300, U400, and U411 wall assemblies with metal electrical boxes and plastic or metal cover plates
- Soundproof with STC Rating of 52**
- 95% labor savings over Putty Pad technology

* By Fireblok IP Holdings

** Tested in a UL 411 wall assembly to ASTM E90

| Cat. No. | Description | Std. Pkg. |
|----------|--|-----------|
| UFSI | Universal Firestop Insert for 1G, 4", 4-11/16" Electrical Box, White | 120 |

Orbit's 5-1/2" Square Fire Alarm Box is 3-1/2" deep and features 1/2" and 3/4" knockouts. The extra depth and width eliminates the use of extensions and transition pieces to mount horn and strobe devices easier.

- Red powder coat finish for easy identification
- Increased width and depth for extra deep device installations
- Variety of slots and holes for wall and ceiling mounting

FA-5SXB-50/75



5-1/2" LARGE CAPACITY

FIRE ALARM BOX



FIRE ALARM BOXES

COVERS AND EXTENSIONS



FA-4RBC



FA-4RDB-MKO



FA-4BC



FA-4SB-MKO



FA-4SB-MKO-EXT



FA-4SDB-MKO



FA-4SDB-MKO-FB



FA-4SEDB-CKO



FA-4SEDB-CKO-FB



FA-UMAB



FA-5BC



FA-5SDB-MKO



*FA-5SXB-50/75

*ETL Only 

| Cat. No. | Description | Knockouts | | Std. Pkg. |
|-----------------|---|-------------------------|------------------------|-----------|
| | | Sides | Bottom | |
| FA-4RBC | Red 4" Octagon Blank Cover | - | - | 50 |
| FA-4RDB-MKO | Red 4" Octagon Box, 2-1/8" Deep | (2) - 1/2", (2) - MKO | (3) - 1/2", (2) - 3/4" | 50 |
| FA-4BC | Red 4" Square Blank Cover | - | - | 50 |
| FA-4SB-MKO | Red 4" Square, 1-1/2" Deep Box | (8) - 1/2", (4) - MKO | (2) - 1/2", (2) - MKO | 50 |
| FA-4SB-MKO-EXT | Red 4" Square, 1-1/2" Deep Extension | (8) - 1/2", (4) - MKO | - | 50 |
| FA-4SDB-MKO | Red 4" Square, 2-1/8" Deep Box | (8) - 1/2", (4) - MKO | (2) - 1/2", (2) - MKO | 24 |
| FA-4SDB-MKO-FB | Red 4" Square, 2-1/8" Deep Box w/ FB Bracket | (8) - 1/2", (4) - MKO | (2) - 1/2", (2) - MKO | 24 |
| FA-4SEDB-CKO | Red 4" Square, 3-1/2" Deep Box | (12) - CKO | (4) - CKO | 24 |
| FA-4SEDB-CKO-FB | Red 4" Square, 3-1/2" Deep Box w/ FB Bracket | (12) - CKO | (4) - CKO | 10 |
| FA-UMAB | Red 4" Square, 3-1/2" Deep Box w/ Adj. Brkt, 0 - 1-1/2" | (12) - CKO | (4) - CKO | 10 |
| FA-5BC | Red 4-11/16" Square Blank Cover | - | - | 50 |
| FA-5SDB-MKO | Red 4-11/16" Square, 2-1/8" Deep Box | (2) - 1/2", (10) - MKO | (2) - 1/2", (2) - MKO | 24 |
| FA-5SXB-50/75 | Red 5-1/2" Square, 3-1/2" Deep w/ 4" Ring Tabs | (6) - 1/2" & (6) - 3/4" | (1) - 1/2" | 24 |